PROMAKSAN®

LOAS®
Loyal Asistant

FUSION®
Professional Plumbing Equipment

# 2027
# Product List

PROMAKSAN®

# LOAS®

Loyal Assistant

## Professional Bags and Hand Trucks

## BACKPACK

## LSTCS36



- Orthopedic Adjustable Shoulder Straps
- Air Flow Porous Back Design
- Durable Suspension Device
- Stainless Metal Zippers
- 3 Large Fully Openable Zippered Sections
- 1 Small Zippered Section
- 23 Different Sized Tool Hanger Eyes
- 17 Different Sized Pockets
- 3 Hook and Loop Pockets
- Notebook and Tablet Section
- 35x21x43 cm

x23 TOOL HANG | LOCK SYSTEM | WATERPROOF | ORGANIZER | x17 POCKET SYSTEM | x4 ZIPPER DIVISION | LAPTOP







## TOOL BAG

## LSTCT26



- Durable Handle
- Adjustable Shoulder Strap
- Notebook and Tablet Section
- Stainless Metal Zippers
- Large Section with Fully Opening Double Zipper from Top
- Full Opening Organizer Sections on Both Sides
- 27 Pockets in Different Sizes
- 18 Tool Hanger Eyes in Different Sizes
- 1 Zippered Inner Pocket
- 45x21x37 cm

2x DRILL | 2x BATTERY | LAPTOP | ORGANIZER | WATERPROOF | LOCK SYSTEM






## HEAVY DUTY PLASTIC BASED BACKPACK

## LSTCS37-PT



- Orthopedic Adjustable Shoulder Straps
- Base Made of Hard Plastic
- Waterproof Fabric
- Stainless Metal Zippers
- 6 Different Sized Zippered Sections
- 22 Different Sized Pockets
- 36x22x52 cm

HARD BASE | ORTHOPEDIC STRAPS | WATERPROOF | ORGANIZER | x22 POCKET SYSTEM | x6 ZIPPER DIVISION

## TECHNICIAN BAG

## LSTCE45



- Durable Handle
- Waterproof Fabric
- Stainless Metal Zippers
- Orthopedic Adjustable Shoulder Strap
- Double Zipper Full Opening Organizer
- 18 Pieces Elastic Tool Hangers in Different Sizes
- 2 Pieces Hook and Loop Tool Hangers
- 8 Pieces Pockets in Different Sizes
- 40x7x29 cm

x18 TOOL HANG | LOCK SYSTEM | WATERPROOF | ORGANIZER | x8 POCKET SYSTEM

## WAIST BELT

## LSTCB16



- Adjustable Belt Length: 90-134 cm
- Safety Belt Buckle
- Waterproof Fabric
- Industrial Strength Stitching and Stainless Metal Rivets
- 7 Pockets in Different Sizes
- 7 Tool Hanger Eyes
- 25x26 - 21x19 - 25x26 cm

x7 TOOL HANG | LOCK SYSTEM | WATERPROOF | ORGANIZER | x7 POCKET SYSTEM | ADJUSTABLE BELT LENGTH

## PREMIUM SERIES PROFESSIONAL BACKPACK - NAVY BLUE

## LSTCS63

Premium Series

NEW PRODUCT















- Water-Resistant Fabric
- 2 Full-Length Zippered Compartments
- Multiple Elastic and Specialized Tool Holders
- Zippered Transparent PVC Interior Pocket
- 15 mm Diameter Metal Hanging Ring
- 33 × 33 cm Laptop Compartment
- Large and Deep Exterior Pockets
- Breathable, Ventilated Orthopedic Back Panel
- Ergonomic and Padded Carrying Straps
- Elasticized Tool Pockets on Both Sides
- Ideal Design for Organized and Secure Transportation of Professional Equipment
- Leather Top Carrying Handle
- Dimensions: 53 × 44 × 17 cm

x54 TOOL HANG | LOCK SYSTEM | WATERPROOF | ORGANIZER | x5 POCKET SYSTEM | x4 ZIPPER DIVISION | LAPTOP

## PREMIUM SERIES PROFESSIONAL BACKPACK - KHAKI

## LSTCS63-KH

Premium Series

NEW PRODUCT














- Water-Resistant Fabric
- 2 Full-Length Zippered Compartments
- Multiple Elastic and Specialized Tool Holders
- Zippered Transparent PVC Interior Pocket
- 15 mm Diameter Metal Hanging Ring
- 33 × 33 cm Laptop Compartment
- Large and Deep Exterior Pockets
- Breathable, Ventilated Orthopedic Back Panel
- Ergonomic and Padded Carrying Straps
- Elasticized Tool Pockets on Both Sides
- Ideal Design for Organized and Secure Transportation of Professional Equipment
- Leather Top Carrying Handle
- Dimensions: 53 × 44 × 17 cm

x54 TOOL HANG | LOCK SYSTEM | WATERPROOF | ORGANIZER | x5 POCKET SYSTEM | x4 ZIPPER DIVISION | LAPTOP

## PREMIUM SERIES TOOL BAG – NAVY BLUE

## LSTCT74

Premium Series

NEW PRODUCT




- Water-Resistant Fabric
- 1 Full-Length Zippered Compartment
- Multiple Elastic and Specialized Tool Holders
- 3 Deep Stitched Front Pockets
- 8 Tool Holder Loops on the Left Side
- 1 Large Stitched Rear Pocket
- 2 Power Tool Storage Pockets
- 2 Deep Storage Pockets
- 6 Tool Holder Loops in the Main Compartment
- 7 Small Stitched Pockets in Various Sizes
- Ergonomic Shoulder Strap with Padded Support
- Padded Hook-and-Loop Handle and Reinforced Top Handle with Rigid Plastic Cover
- Dimensions: 33 × 40 × 24 cm

x14 TOOL HANG | LOCK SYSTEM | WATERPROOF | ORGANIZER | x9 POCKET SYSTEM | x1 ZIPPER DIVISION | ORTHOPEDIC STRAPS

## PREMIUM SERIES TOOL BAG – KHAKI

## LSTCT74-HK

Premium Series

NEW PRODUCT




- Water-Resistant Fabric
- 1 Full-Length Zippered Compartment
- Multiple Elastic and Specialized Tool Holders
- 3 Deep Stitched Front Pockets
- 8 Tool Holder Loops on the Left Side
- 1 Large Stitched Rear Pocket
- 2 Power Tool Storage Pockets
- 2 Deep Storage Pockets
- 6 Tool Holder Loops in the Main Compartment
- 7 Small Stitched Pockets in Various Sizes
- Ergonomic Shoulder Strap with Padded Support
- Padded Hook-and-Loop Handle and Reinforced Top Handle with Rigid Plastic Cover
- Dimensions: 33 × 40 × 24 cm

x14 TOOL HANG | LOCK SYSTEM | WATERPROOF | ORGANIZER | x9 POCKET SYSTEM | x1 ZIPPER DIVISION | ORTHOPEDIC STRAPS

## PREMIUM SERIES TOOL BAG – NAVY BLUE

## LSTCT76

Premium Series

NEW PRODUCT













- Water-Resistant Fabric
- 1 Full-Length Zippered Compartment
- 1 Large Stitched Front Pocket
- Zippered Front Logo Pocket
- 2 Small Pockets on Either Side of the Logo Pocket
- 2 Stitched Pockets on the Right Side
- 2 Stitched Pockets on the Left Side
- 2 Large, Deep Stitched Rear Pockets
- 11 Small Stitched Pockets and 11 Tool Holder Loops in the Main Compartment
- Ergonomic Shoulder Strap with Padded Support
- Padded Hook-and-Loop Handle and Reinforced Top Handle with Rigid Plastic Cover
- Dimensions: 34 × 43 × 24 cm

x11 TOOL HANG | LOCK SYSTEM | WATERPROOF | ORGANIZER | x21 POCKET SYSTEM | x2 ZIPPER DIVISION | ORTHOPEDIC STRAPS

## PREMIUM SERIES TOOL BAG – KHAKI

## LSTCT76-KH

Premium Series

NEW PRODUCT













- Water-Resistant Fabric
- 1 Full-Length Zippered Compartment
- 1 Large Stitched Front Pocket
- Zippered Front Logo Pocket
- 2 Small Pockets on Either Side of the Logo Pocket
- 2 Stitched Pockets on the Right Side
- 2 Stitched Pockets on the Left Side
- 2 Large, Deep Stitched Rear Pockets
- 11 Small Stitched Pockets and 11 Tool Holder Loops in the Main Compartment
- Ergonomic Shoulder Strap with Padded Support
- Padded Hook-and-Loop Handle and Reinforced Top Handle with Rigid Plastic Cover
- Dimensions: 34 × 43 × 24 cm

## PREMIUM SERIES TOOL BAG – NAVY BLUE

## LSTCT78

Premium Series

NEW PRODUCT




- Water-Resistant Fabric
- 1 Full-Length Zippered Compartment
- Upper Section: 13 Small Stitched Tool Pockets
- Upper Section: 11 Stitched Tool Holder Loops
- Upper Section: 2 Zippered Tool Storage Pockets
- 2 Large Stitched Front Pockets
- 2 Zippered Front Pockets
- 2 Large, Deep Stitched Rear Pockets
- Right Side Pocket with Hook-and-Loop Flap Closure
- Left Side Pocket with Hook-and-Loop Flap Closure
- 7 Stitched Tool Pockets on the Back
- 1 Large Rear Storage Pocket with Snap Button Closure
- Dimensions: 33 × 53 × 30 cm

x11 TOOL HANG | LOCK SYSTEM | WATERPROOF | ORGANIZER | x29 POCKET SYSTEM | x3 ZIPPER DIVISION | ORTHOPEDIC STRAPS

## PREMIUM SERIES TOOL BAG – KHAKI

## LSTCT78-KH

Premium Series

NEW PRODUCT




- Water-Resistant Fabric
- 1 Full-Length Zippered Compartment
- Upper Section: 13 Small Stitched Tool Pockets
- Upper Section: 11 Stitched Tool Holder Loops
- Upper Section: 2 Zippered Tool Storage Pockets
- 2 Large Stitched Front Pockets
- 2 Zippered Front Pockets
- 2 Large, Deep Stitched Rear Pockets
- Right Side Pocket with Hook-and-Loop Flap Closure
- Left Side Pocket with Hook-and-Loop Flap Closure
- 7 Stitched Tool Pockets on the Back
- 1 Large Rear Storage Pocket with Snap Button Closure
- Dimensions: 33 × 53 × 30 cm

x11 TOOL HANG | LOCK SYSTEM | WATERPROOF | ORGANIZER | x29 POCKET SYSTEM | x3 ZIPPER DIVISION | ORTHOPEDIC STRAPS

## HEAVY-DUTY INDUSTRIAL CARRYING CASE

## LSTCT38-T

NEW PRODUCT





- 2-Step Aluminum Telescopic Handle
- 8 Separate Compartments for Wide Storage and Organization
- Reinforced Rigid Plastic Base
- Ideal Design for Electric Hand Tools and Combo Set Products
- 2 Zippered Inner Pockets
- Waterproof Fabric
- Full-Length Double Zipper Opening
- Multi-Purpose Use
- 40 × 24 × 50 cm



DRILL



BATTERY


LAPTOP


ORGANIZER


WATERPROOF


LOCK SYSTEM

## HEAVY-DUTY INDUSTRIAL CARRYING CASE WITH SIDE POCKETS

## LSTCT39-T

NEW PRODUCT





- 2-Step Aluminum Telescopic Handle
- 2 Zippered Side Pockets
- 10 Separate Compartments for Wide Storage and Organization
- 2 Zippered Inner Pockets
- Reinforced Rigid Plastic Base
- Ideal Design for Electric Hand Tools and Combo Set Products
- Waterproof Fabric
- Full-Length Double Zipper Opening
- Multi-Purpose Use
- 50 × 24 × 55 cm



DRILL



BATTERY


LAPTOP


ORGANIZER


WATERPROOF


LOCK SYSTEM

## TOOL VEST

## LSTCY01





- Durable Woven Fabric
- Multi-Function Designed 13 Pockets
- Padded Shoulder Strap
- Ergonomic Design To Grip Waist
- One Size Fits All
- Mesh Fabric Help Keep You Dry And Cool
- Adjustable Hook And Loops On Shoulder Straps
- Reflective Strips On Both Front And Back
- Durable Zipper Closure
- Durable Hanger

## SMALL SIZE TOOL CARRYING BAG

## LSTCT14




- Multiple Interior And Outside Pockets
- Solid Corners Keep Body Upright
- Reinforced Base And Body
- Padded Shoulder Strap
- Waterproof Fabric
- 32x18x26cm

## SMALL SIZE TOOL CARRYING BAG

## LSTCT14-K

NEW PRODUCT




- Multiple Interior And Outside Pockets
- Solid Corners Keep Body Upright
- Reinforced Base And Body
- Padded Shoulder Strap
- Waterproof Fabric
- 32x18x26cm

## MEDIUM SIZE TOOL CARRYING BAG

## LSTCT16




- Multiple Interior And Outside Pockets
- Solid Corners Keep Body Upright
- Reinforced Base And Body
- Padded Metal Connected Woven Shoulder Strap, Strong Weaving Handles
- Waterproof Fabric
- 36x22x31cm

## MEDIUM SIZE TOOL CARRYING BAG

## LSTCT16-K

NEW PRODUCT




- Multiple Interior And Outside Pockets
- Solid Corners Keep Body Upright
- Reinforced Base And Body
- Padded Metal Connected Woven Shoulder Strap, Strong Weaving Handles
- Waterproof Fabric
- 36x22x31cm

## LARGE SIZE TOOL CARRYING BAG

## LSTCT18







- Designed for Power Tools and Combo Set Products
- Reinforced Base and Body
- Metal Anchored, Pad Supported, Woven Shoulder Strap
- Durable Woven Handles
- Waterproof Fabric
- 48x25x35cm

## LARGE SIZE TOOL CARRYING BAG

## LSTCT18-K

NEW PRODUCT







- Designed for Power Tools and Combo Set Products
- Reinforced Base and Body
- Metal Anchored, Pad Supported, Woven Shoulder Strap
- Durable Woven Handles
- Waterproof Fabric
- 48x25x35cm

## MULTIPLE POCKET TOOL CARRYING BAG

## LSTCT20







- Multiple Interior and Exterior Pockets with Flaps
- Durable Corners Keep the Body Upright
- Reinforced Base and Body
- 33 Compartments with Different Features
- Metal Anchored, Pad Supported, Woven Shoulder Strap
- Durable Woven Handles
- Waterproof Fabric
- 46x27x34cm

## BASIC FABRIC TOOL CARRYING CASE

## LSTCT15-B

NEW PRODUCT





- Durable Woven Fabric
- 1 Large Zippered Compartment
- 5 Screwdriver Holders
- 6 Pockets
- Strong Woven Carry Handles
- Waterproof Fabric
- Heavy-Duty Symmetrical Zipper
- Durable Shoulder Strap Attachment
- 52 × 26 × 17 cm

## SMALL TOOL BAG WITH COVER

**LSTCTK15**

NEW PRODUCT









- 5 Outer Pockets
- 2 Inner Pockets
- Deep Storage Compartment
- Strong Woven Carry Handles
- Rust-Resistant Metal Zippers
- Waterproof Fabric
- 33 × 20 × 27 cm

## TOOL CARRYING BAG WITH PLASTIC BASE

**LSTCT17-PT**











- Reinforced Body and Plastic Base
- Woven Shoulder Strap and Carry Handles
- Multiple Inner and Outer Pockets
- Waterproof Fabric
- 40 × 21 × 25 cm

## MEDIUM TOOL BAG WITH PLASTIC BASE AND COVER

**LSTCTK18-PT**

NEW PRODUCT









- 5 Outer Pockets
- 2 Inner Pockets
- Durable Corners for Structural Support
- Deep Storage Compartment
- Reinforced Body and Plastic Base
- Strong Woven Carry Handles
- Rust-Resistant Metal Zippers
- Waterproof Fabric
- 41 × 21 × 30 cm

## SEMI-OPEN TOOL BAG WITH PLASTIC BASE

## LSTCT35-PT




- 38 Compartments with Various Features (Inner and Outer)
- Semi-Open, Semi-Closed Special Design
- Reinforced Body and Plastic Base
- Metal-Linked, Padded Woven Shoulder Strap
- Strong Woven Carry Handles
- Durable Corners for Structural Support
- Dual-Sided Use
- Waterproof Fabric
- 40 × 21 × 25 cm

## HEAVY-DUTY TOOL CARRYING BAG

## LSTCT19-T




- 2-Step Aluminum Telescopic Handle
- 18 Separate Compartments for Wide Storage and Organization
- Reinforced Base and Body
- Ideal Design for Electric Hand Tools and Combo Set Products
- Waterproof Fabric
- 50.5 × 24 × 33 cm

## BACKPACK

## LSTCS26




- Strong Woven Carry Handle
- 11 Compartments with Various Features
- Spacious Interior
- Padded Shoulder Straps
- Waterproof Fabric
- 37 × 16 × 47 cm

## HEAVY-DUTY BACKPACK

## LSTCS28






- Padded Compartment for Laptops and Tablets
- Strong Woven Carry Handles
- 22 Compartments with Various Features
- Spacious Interior
- Padded Shoulder Straps
- Waterproof Fabric
- 39 × 17 × 49 cm

## HEAVY-DUTY BACKPACK

## LSTCS28-K

NEW PRODUCT






- Padded Compartment for Laptops and Tablets
- Strong Woven Carry Handles
- 22 Compartments with Various Features
- Spacious Interior
- Padded Shoulder Straps
- Waterproof Fabric
- 39 × 17 × 49 cm

## HEAVY-DUTY WHEELED BACKPACK

## LSTCS29-T






- 2-Step Aluminum Telescopic Handle (Can Be Used as Backpack or with Telescopic Handle)
- Removable Padded Shoulder Straps
- 24 Separate Compartments for Wide Storage and Organization
- Waterproof Fabric
- 54 × 24 × 42 cm

## TECHNICIAN TOOL BAG

## LSTCE25




- Padded Compartment for Laptops and Tablets
- 16 Separate Compartments for Wide Storage and Organization
- Metal-Linked Woven Shoulder Strap, Strong Woven Carry Handles
- Waterproof Fabric
- 39.5 × 34 × 14.5 cm

## WAIST TOOL CARRYING BAG

## LSTCT11




- 8 Different Featured Compartments
- Ergonomic Foam Design
- 1 Flap Pocket
- Waterproof Fabric

## WAIST TOOL CARRYING BAG

## LSTCT02-MA




- 6 Different Featured Compartments
- Ergonomic Foam Design
- Pocket for Screwdriver/Drill
- Compact Design Pocket for Battery
- Compatible with All Cordless Drills
- Waterproof Fabric

* It is compatible with the KLPRO KLA18TA Battery Extension Device.

## PROFESSIONAL BACKPACK

## LSTCS27

NEW PRODUCT




- Durable Woven Fabric
- 2 Large Zippered Compartments
- Spacious Interior Volume
- 1 Deep Interior Pocket
- 2 Elasticated Side Pockets
- Waterproof Fabric
- Sturdy Woven Handles
- 21x30x42 cm

## FOLDABLE TOOL BAG

### LSTCT08-K




- Durable Woven Fabric
- Durable Shoulder Strap
- Durable Hand Strap
- Zipped Compartment on Back
- 4 Zipped Compartments Inside

## WRIST TOOL BAG FOR BELT (CAN BE HANGED ON THE BELT)

### LSTCT04-KA




- Pad Supported Belt Hanging Device
- Easily Hangs on Stand and Wall Thanks to Hanging Hole
- 7 Compartments
- Waterproof Fabric
- Ergonomic Foam Design
- 29.5x15 cm

## WRIST TOOL BAG FOR BELT (CAN BE HANGED ON THE BELT)

NEW PRODUCT

### LSTCT04-KA




- Pad Supported Belt Hanging Device
- Easily Hangs on Stand and Wall Thanks to Hanging Hole
- 7 Compartments
- Waterproof Fabric
- Ergonomic Foam Design
- 29.5x15 cm

## ROLL UP WRENCH HOLDER POUCH (ZIPPERED OUTER POCKET)

### LSTAC10-C (4-24 mm)



- Suitable for Open Mouth and Combination Wrench
- 12 Wrench Compartments
- Zipped Material Compartment on the Front
- Waterproof Fabric
- 4 Front Pockets
- 47x33.5 cm

## 3-COMPARTMENT METAL TOOLBOX – 42 CM

## LSMTC3420

NEW PRODUCT






- Durable Steel Body
- Electrostatic Powder Coating
- Spacious Interior
- Multi-Compartment Design
- Reinforced Steel Riveted Hinges
- Ergonomic Carry Handles
- Weight: 3.1 kg
- Dimensions: 42 × 19.5 × 16 cm

*Hand tools are not included with the toolbox.

## 5-COMPARTMENT METAL TOOLBOX – 42 CM

## LSMTC5420

NEW PRODUCT






- Durable Steel Body
- Electrostatic Powder Coating
- Spacious Interior
- Multi-Compartment Design
- Reinforced Steel Riveted Hinges
- Ergonomic Carry Handles
- Weight: 4.2 kg
- Dimensions: 42 × 19.5 × 21 cm

*Hand tools are not included with the toolbox.

## 5-COMPARTMENT METAL TOOLBOX – 52 CM

## LSMTC5520

NEW PRODUCT






- Durable Steel Body
- Electrostatic Powder Coating
- Spacious Interior
- Multi-Compartment Design
- Reinforced Steel Riveted Hinges
- Ergonomic Carry Handles
- Weight: 5 kg
- Dimensions: 52 × 19.5 × 21 cm

*Hand tools are not included with the toolbox.

## 2-COMPARTMENT METAL TOOLBOX – 49 CM

## LSMTC2490

NEW PRODUCT






- Durable Steel Body
- Electrostatic Powder Coating
- Spacious and Deep Interior
- Practical 2-Compartment Design
- Ergonomic Carry Handle
- Long-Lasting Hinges
- Weight: 6.3 kg
- Dimensions: 49 × 23 × 23 cm

*Hand tools are not included with the toolbox.

## FOLDABLE HAND TRUCK WITH EXTENDABLE LADDER – 80 KG

## LSKTA80M

NEW PRODUCT










| | |
|---|---|
| **Carrying Capacity (Vertical)** | 80 kg |
| **Carrying Capacity (On Stairs)** | 60 kg |
| **Wheel Diameter** | 10 cm |
| **Open Dimensions** | 47 x 48 x 98 cm |
| **Closed Dimensions** | 42 x 8.5 x 71 cm |
| **Weight** | 4.2 kg |
| **Pieces per Carton** | 1 |

- 80 kg Carrying Capacity (Vertical)
- 60 kg Carrying Capacity (On Stairs)
- 6-Wheel Stair-Climbing Design System
- Portable Foldable Frame
- Lightweight and Durable Structure
- Foldable Design for Easy Storage in Tight Spaces

## FOLDABLE HAND TRUCK – 100 KG

## LSKTA100

NEW PRODUCT










| | |
|---|---|
| **Carrying Capacity** | 100 kg |
| **Wheel Diameter** | 15 cm |
| **Open Dimensions** | 42 x 42 x 98 cm |
| **Closed Dimensions** | 42 x 4.5 x 71 cm |
| **Weight** | 3.9 kg |
| **Pieces per Carton** | 1 |

- 100 kg Carrying Capacity
- Portable Foldable Frame
- Lightweight and Durable Iron Frame
- Foldable Design for Easy Storage in Tight Spaces

## ALUMINUM FOLDABLE HAND TRUCK – 150 KG

## LSKTA150A

NEW PRODUCT




| | |
|---|---|
| **Carrying Capacity** | 150 kg |
| **Wheel Diameter** | 16.5 cm |
| **Open Dimensions** | 52 x 50 x 115 cm |
| **Closed Dimensions** | 47.5 x 5.5 x 88.5 cm |
| **Weight** | 5.8 kg |
| **Pieces per Carton** | 1 |

- 150 kg Carrying Capacity
- Sturdy Aluminum Frame
- Foldable Frame
- Lightweight and Durable Structure
- Carry Handles for Easy Transportation
- Foldable Design for Easy Storage in Tight Spaces

Al Aluminum **Aluminum Body**

## DOUBLE-SIDED FOLDABLE HAND TRUCK - 220 KG

## LSKTA220

NEW PRODUCT




| | |
|---|---|
| **Carrying Capacity (Horizontal)** | 220 kg |
| **Carrying Capacity (Vertical)** | 90 kg |
| **Wheel Diameter** | 15 cm |
| **Open Dimensions** | 111 x 41.5 x 92 cm |
| **Closed Dimensions** | 87 x 9.5 x 41.5 cm |
| **Weight** | 10.3 kg |
| **Pieces per Carton** | 1 |

- 220 kg Carrying Capacity (Horizontal)
- 90 kg Carrying Capacity (Vertical)
- Usable in Both Vertical and Horizontal Positions
- Portable Foldable Frame
- Lightweight and Durable Iron Frame
- Foldable Design for Easy Storage in Tight Spaces

PROMAKSAN®

# FUSION®

Professional
Plumbing Equipment

## PLASTIC PIPE WELDING MACHINES

### SF4

NEW PRODUCT




Power
700 W

Working Temp.
+20/+320°C

| | |
|---|---|
| **Power** | 700 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +20/+320°C |
| **Max. Socket Dia** | 50 mm |
| **Weight** | 1.15 kg |
| **Carrying Case** | ⛔ |
| **Pcs. in Carton** | 1 |

Digital Display | Precise Temperature Control | Electronic Thermostat

**ACCESSORY**

- Galvanized C-Clamp

### SF4-S1

NEW PRODUCT




Power
700 W

Working Temp.
+20/+320°C

| | |
|---|---|
| **Power** | 700 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +20/+320°C |
| **Max. Socket Dia** | 50 mm |
| **Weight** | 1.25 kg |
| **Carrying Case** | ✔ (Metal) |
| **Pcs. in Carton** | 1 |

Digital Display | Precise Temperature Control | Electronic Thermostat

**ACCESSORIES**

- Galvanized C-Clamp
- Heavy Duty Iron Stand
- FSBM42, 42 mm Heavy Duty Pipe Cutter
- Allen Wrench and Spanner
- Welding Distance Template
- 20-25-32-40 mm Heavy Duty Welding Sockets
- Steel Carrying Case

## PLASTIC PIPE WELDING MACHINES

# SF3-BARE TOOL



Power
W
700 W

Working Temp.
+50/+300˚C

| | |
|---|---|
| **Power** | 700 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +20/+320˚C |
| **Max. Socket Dia** | 50 mm |
| **Weight** | 1.15 kg |
| **Carrying Case** | ⊖ |
| **Pcs. in Carton** | 1 |

### ACCESSORY

- Galvanized C-Clamp

# SF3-S4



Power
W
700 W

Working Temp.
+50/+300˚C

| | |
|---|---|
| **Power** | 700 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +50/+300˚C |
| **Max. Socket Dia** | 50 mm |
| **Weight** | 1.15 kg |
| **Carrying Case** | ⊖ |
| **Pcs. in Carton** | 1 |

### ACCESSORIES

- Galvanized C-Clamp
- Heavy Duty Iron Stand
- Allen Wrench and Spanner
- 20-25 mm Heavy Duty Welding Sockets
- 42 mm Pipe Cutter

# SF3-S6



Power
W
700 W

Working Temp.
+50/+300˚C

| | |
|---|---|
| **Power** | 700 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +50/+300˚C |
| **Max. Socket Dia** | 50 mm |
| **Weight** | 1.15 kg |
| **Carrying Case** | ✔ |
| **Pcs. in Carton** | 1 |

### ACCESSORIES

- Laser Cut Metal Stand
- Allen Wrench and Spanner
- 20-25-32-40 mm Heavy Duty Welding Sockets
- 42 mm Pipe Cutter
- Steel Carrying Case

## PLASTIC PIPE WELDING MACHINES

### SF3-SET




Power
W
700 W

Working Temp.
+50/+300˚C

| | |
|---|---|
| **Power** | 700 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +50/+300˚C |
| **Max. Socket Dia** | 50 mm |
| **Weight** | 1.15 kg |
| **Carrying Case** | ✔ (Metal) |
| **Pcs. in Carton** | 1 |

#### ACCESSORIES

- Galvanized C-Clamp
- Heavy Duty Iron Stand
- FSBM42, 42 mm Heavy Duty Pipe Cutter
- Allen Wrench and Spanner
- Welding Distance Template
- 20-25-32-40 mm Heavy Duty Welding Sockets
- Steel Carrying Case

### SF3-S2






Power
W
700 W

Working Temp.
+50/+300˚C

| | |
|---|---|
| **Power** | 700 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +50/+300˚C |
| **Max. Socket Dia** | 50 mm |
| **Weight** | 1.15 kg |
| **Carrying Case** | ✔ (Metal) |
| **Pcs. in Carton** | 1 |

#### ACCESSORIES

- Galvanized C-Clamp
- Heavy Duty Iron Stand
- FSBM42, 42 mm Heavy Duty Pipe Cutter
- Allen Wrench and Spanner
- 2x20 - 2x25 - 1x32 -1x40 mm Heavy Duty Welding Sockets
- Steel Carrying Case (49x23,5x23,5 cm)
- Welding Distance Template
- 7 mm Pipe Repair Set
- 10 Pcs Pipe Repair Stoppers

## PLASTIC PIPE WELDING MACHINES

### FSBK15



Power: W 1500 W
Max. Socket Dia: 75 mm

| | |
|---|---|
| **Power** | 1500 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +50/+300˚C |
| **Max. Socket Dia** | 75 mm |
| **Weight** | 1 kg |
| **Carrying Case** | ⊖ |
| **Pcs. in Carton** | 1 |

### FSBK15-S1



Power: W 1500 W
Max. Socket Dia: 75 mm

| | |
|---|---|
| **Power** | 1500 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +50/+300˚C |
| **Max. Socket Dia** | 75 mm |
| **Weight** | 1 kg |
| **Carrying Case** | ✔ (Metal) |
| **Pcs. in Carton** | 1 |

#### ACCESSORIES

- Laser Cut Metal Stand
- 20-25-32-40 mm Heavy Duty Welding Sockets
- Allen Wrench and Spanner
- 42 mm Pipe Cutter
- Steel Carrying Case

### FSBK15-S2



Power: W 1500 W
Max. Socket Dia: 75 mm

| | |
|---|---|
| **Power** | 1500 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +50/+300˚C |
| **Max. Socket Dia** | 75 mm |
| **Weight** | 1 kg |
| **Carrying Case** | ✔ (Metal) |
| **Pcs. in Carton** | 1 |

#### ACCESSORIES

- Laser Cut Metal Stand
- 20-25-32 mm Heavy Duty Welding Sockets
- Allen Wrench and Spanner
- FSBM42, 42 mm Heavy Duty Pipe Cutter
- Steel Carrying Case

## PLASTIC PIPE WELDING MACHINES

### KF10



Power: 700 W
Working Temp.: +50/+300˚C

| | |
|---|---|
| **Power** | 700 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +50/+300˚C |
| **Max. Socket Dia** | 40 mm |
| **Weight** | 0,74 kg |
| **Carrying Case** | ⊖ |
| **Pcs. in Carton** | 1 |

### KF10-S2



Power: 700 W
Working Temp.: +50/+300˚C

| | |
|---|---|
| **Power** | 700 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +50/+300˚C |
| **Max. Socket Dia** | 40 mm |
| **Weight** | 0,74 kg |
| **Carrying Case** | ✓ (Metal) |
| **Pcs. in Carton** | 4 |

**ACCESSORIES**

- Aluminium Stand
- 20-25-32 mm Heavy Duty Welding Sockets
- Allen Wrench and Spanner
- Welding Distance Template
- Steel Carrying Case

### KF10-S3



Power: 700 W
Working Temp.: +50/+300˚C

| | |
|---|---|
| **Power** | 700 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temperature** | +50/+300˚C |
| **Max. Socket Dia** | 40 mm |
| **Weight** | 0,74 kg |
| **Carrying Case** | ✓ (Metal) |
| **Pcs. in Carton** | 4 |

**ACCESSORIES**

- Aluminium Stand
- 20-25-32 mm Heavy Duty Welding Sockets
- Allen Wrench and Spanner
- Welding Distance Template
- 42 mm Pipe Cutter
- Steel Carrying Case

## PLASTIC PIPE WELDING MACHINES

## MINI-BARE TOOL



Power: 800 W
Working Temp.: +50/+300°C

| | |
|---|---|
| **Power** | 800 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temp.** | +50/+300°C |
| **Max. Socket Dia.** | 32 mm |
| **Weight** | 0.75 kg |
| **Carrying Case** | ⛔ |
| **Pcs. in Carton** | 1 |

## MİNİ-S1



Power: 800 W
Working Temp.: +50/+300°C

| | |
|---|---|
| **Power** | 800 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temp.** | +50/+300°C |
| **Max. Socket Dia.** | 32 mm |
| **Weight** | 0.75 kg |
| **Carrying Case** | ✔ (Metal) |
| **Pcs. in Carton** | 1 |

### ACCESSORIES

- Aluminium Stand
- 20-25-32 mm Heavy Duty Welding Sockets
- Allen Wrench and Spanner
- 42 mm Pipe Cutter
- Steel Carrying Case

## FSBK12

NEW PRODUCT



Power: 1250 W
Working Temp.: +50/+300°C

| | |
|---|---|
| **Power** | 1250 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temp.** | +50/+300°C |
| **Max. Socket Dia.** | 90 mm |
| **Weight** | 2.0 kg |
| **Carrying Case** | ⛔ |
| **Pcs. in Carton** | 1 |

### ACCESSORIES

- Laser Cut Metal Stand

## FSD12



Gücü: 1250 W
Sıcaklık: +50/+300°C

| | |
|---|---|
| **Power** | 1250 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temp.** | +50/+300°C |
| **Max. Socket Dia.** | 90 mm |
| **Weight** | 2.0 kg |
| **Carrying Case** | ⛔ |
| **Pcs. in Carton** | 1 |

* Non-Stick Teflon Coated Heater

### ACCESSORIES

- Galvanized C-Clamp
- Heavy Duty Iron Stand

## FSBT5



Power 1500 W
Working Temp. +50/+300˚C

| | |
|---|---|
| **Power** | 1500 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temp.** | +50/+300˚C |
| **Max. Socket Dia.** | 125 mm |
| **Weight** | 2.6 kg |
| **Carrying Case** | ⊖ |
| **Pcs. in Carton** | 1 |

* Non-Stick Teflon Coated Heater

### ACCESSORIES

- Galvanized C-Clamp
- Heavy Duty Iron Stand

## FSD12-S1

NEW PRODUCT

Power 1250 W
Working Temp. +50/+300˚C

| | |
|---|---|
| **Power** | 1250 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temp.** | +50/+300˚C |
| **Max. Socket Dia.** | 90 mm |
| **Weight** | 2.0 kg |
| **Carrying Case** | ✓ (Metal) |
| **Pcs. in Carton** | 1 |

* Non-Stick Teflon Coated Heater



### ACCESSORIES

- Heavy Duty Iron Stand
- 63-75-90 mm Heavy Duty Welding Sockets
- Allen Wrench And Spanner
- Galvanized C-Clamp
- Steel Carrying Case

## FSBT5-S1

Power 1500 W
Working Temp. +50/+300˚C

| | |
|---|---|
| **Power** | 1500 W |
| **Voltage** | 230 V - 50 Hz |
| **Working Temp.** | +50/+300˚C |
| **Max. Socket Dia.** | 125 mm |
| **Weight** | ✓ 2.6 kg |
| **Carrying Case** | ✓ (Metal) |
| **Pcs. in Carton** | 1 |

* Non-Stick Teflon Coated Heater



### ACCESSORIES

- Heavy Duty Iron Stand
- 63-75-90 mm Heavy Duty Welding Sockets
- Allen Wrench And Spanner
- Galvanized C-Clamp
- Steel Carrying Case

## WELDING SOCKETS

- Heavy Duty Type
- Long Lasting Teflon Coated



**FP20**
**20 mm**



**FP25**
**25 mm**



**FP32**
**32 mm**



**FP40**
**40 mm**



**FP50**
**50 mm**



**FP63**
**63 mm**



**FP75**
**75 mm**



**FP90**
**90 mm**



**FP110**
**110 mm**



**FP125**
**125 mm**

## LONG WELDING SOCKETS

NEW PRODUCT

- Heavy Duty Type
- Long Lasting Teflon Coated



**FP20U**
**20 mm**



**FP25U**
**25 mm**



**FP32U**
**32 mm**

## WELDING SOCKETS SETS



- 3 Pcs. Professional Socket Sets
- 20, 25, 32 mm Heavy Duty Welding Sockets

* Hanging Nylon Packaging



**FPS3-SET**

## REPAIR SET

### FBTS7

- 7 mm Pipe Repair Set



### FBTS11

- 11 mm Pipe Repair Set



### FBTT711

- 10 Pcs. PPR-C Pipe Repair Stoppers



## STANDS

### SFTA01



- Heavy Duty Iron Stand

### MTA02



- Aluminium Stand

### LA03



- Laser Stand

## PLASTIC PIPE CUTTER

### FSBM42



- Heavy Duty Type
- 42 mm Automatic

MADE IN P.R.C.

### FSBM63



- Heavy Duty Type
- 63 mm Automatic

MADE IN P.R.C.

### FSBM42S

NEW PRODUCT

Stainless Steel



- Stainless Steel Blade
- Extra Blade Strength
- Heavy Duty
- 42 mm Automatic

MADE IN P.R.C.

### FSBM63S

NEW PRODUCT

Stainless Steel



- Stainless Steel Blade
- Extra Blade Strength
- Heavy Duty
- 63 mm Automatic

MADE IN P.R.C.

### FSBM42A

Al Aluminium Body



- Aluminium Body
- Heavy Duty Type
- 42 mm Automatic

MADE IN P.R.C.

### FSBM63A

Al Aluminium Body



- Aluminium Body
- Heavy Duty Type
- 63 mm Automatic

MADE IN P.R.C.

### FSBM75



- Heavy Duty Type
- Light
- 75 mm Automatic

MADE IN P.R.C.

### FSBM110



- Heavy Duty Type
- 50-110 mm

MADE IN P.R.C.

## PIPE DRAIN CLEANING MACHINE

# FSKA150




Power
W
750 W

Max. Working Diameter
∅
150 mm

| | |
|---|---|
| **Power** | 750 W |
| **Voltage** | 230 V - 50 Hz |
| **Max. Working Diameter** | 150 mm |
| **RPM** | 460 RPM |
| **Weight** | 22.5 kg |
| **Pcs. in Carton** | 1 |

- Ø 16 mm Spiral Wire – (2.3 m × 5 pcs)
- Ø 22 mm Spiral Wire – (4.5 m × 5 pcs)

**ACCESSORIES INCLUDED:**

» Straight Auger – 16 mm
» Bulb Auger – 16 mm
» Cross-blade Cutter – 16 mm
» Grease Cutter – 16 mm
» Straight Auger – 22 mm
» Bulb Auger – 22 mm
» Funnel Auger – 22 mm
» Spade Head Cutter – 22 mm

## PIPE DRAIN CLEANING MACHINE

# FSKA150Y

NEW PRODUCT




Power
W
750 W

Max. Working Diameter
∅
150 mm

| | |
|---|---|
| **Power** | 750 W |
| **Voltage** | 230 V - 50 Hz |
| **Max. Working Diameter** | 150 mm |
| **RPM** | 610 Dev/Dk. |
| **Weight** | 25.7 kg |
| **Pcs. in Carton** | 1 |

- Ø 16 mm Spiral Wire - (2.3 Meter x 5 Pcs.)
- Ø 22 mm Spiral Wire - (4.6 Metre x 5 Pcs.)

**ACCESSORIES INCLUDED:**

» Chisel Bit - 16 mm and 22 mm
» Puller Bit - 16 mm and 22 mm
» Spade Bit - 16 mm and 22 mm
» Pointed Bit - 16 mm and 22 mm
» Bull Point Bit - 16 mm and 22 mm

## HANDHELD ELECTRIC THREADING MACHINES

### FSBP114

NEW PRODUCT




Power
W
1700 W

Diameter
∅
1/2" - 1-1/4"

| | |
|---|---|
| **Power** | 1700 W |
| **Voltage** | 230 V - 50 Hz |
| **Threading Range** | 1/2" - 1-1/4" |
| **No-Load RPM** | 25 RPM |
| **Weight** | 5.7 kg |
| **Pcs. in Carton** | 1 |

#### ACCESSORIES

- 1/2", 3/4", 1", 1 1/4" Threading Heads
- Support Handle
- Oil Can
- Plastic Carrying Case

### FSBP200

NEW PRODUCT




Power
W
1700 W

Diameter
∅
1/2" - 2"

| | |
|---|---|
| **Power** | 1700 W |
| **Voltage** | 230 V - 50 Hz |
| **Threading Range** | 1/2" - 2" |
| **No-Load RPM** | 55 RPM |
| **Weight** | 9.5 kg |
| **Pcs. in Carton** | 1 |

#### ACCESSORIES

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2" Threading Heads
- Support Handle
- Oil Can
- Plastic Carrying Case

## TEST PUMP

### FSTP60

NEW PRODUCT




Pressure
BAR
60 Bar

Tank Volume
V
12 L

| | |
|---|---|
| **Pcs. in Carton** | 12 Liter |
| **Maximum Pressure** | 60 Bar |
| **Test Fluid** | Water or Oil |
| **Max. Working Temperature** | 50 ˚C |
| **Weight** | 8 kg |
| **Pcs. in Carton** | 1 |



**Brass Piston**

## TEST PUMP (STAINLESS STEEL CASE)

### FSTP60-P

NEW PRODUCT




Pressure
BAR
60 Bar

Tank Volume
V
12 L

| | |
|---|---|
| **Pcs. in Carton** | 12 Liter |
| **Maximum Pressure** | 60 Bar |
| **Test Fluid** | Water or Oil |
| **Max. Working Temperature** | 50 ˚C |
| **Weight** | 8 kg |
| **Pcs. in Carton** | 1 |



**Brass Piston**

**Stainless Steel Case**

## AUTOMATIC BENCH-TYPE ELECTRIC THREADING MACHINE

## FSBPT50A2

NEW PRODUCT




Power
W
1000 W

Diameter
Ø
1/8" - 2"

| | |
|---|---|
| **Power** | 1000 W |
| **Voltage** | 230 V - 50 Hz |
| **Threading Range** | 1/8" - 2" |
| **No-Load RPM** | 28 RPM |
| **Weight** | 60 kg |
| **Pcs. in Carton** | 1 |

Automatic Threading Head

### ACCESSORIES

- 1/2" – 3/4" BSBT Die Set
- 1" – 2" BSBT Die Set

## MANUEL BENCH-TYPE ELECTRIC THREADING MACHINE

## FSBPT50M2

NEW PRODUCT




Power
W
1000 W

Diameter
Ø
1/8" - 2"

| | |
|---|---|
| **Power** | 1000 W |
| **Voltage** | 230 V - 50 Hz |
| **Threading Range** | 1/8" - 2" |
| **No-Load RPM** | 28 RPM |
| **Weight** | 60 kg |
| **Pcs. in Carton** | 1 |

Manual Threading Head

### ACCESSORIES

- 1/2" - 3/4" BSBT Die Set
- 1" - BSBT Die Set

## AUTOMATIC BENCH-TYPE ELECTRIC THREADING MACHINE

## FSBPT50B2

NEW PRODUCT




Power: 750 W

Diameter: 1/8" - 2"

| | |
|---|---|
| **Power** | 750 W |
| **Voltage** | 230 V - 50 Hz |
| **Threading Range** | 1/8" - 2" |
| **No-Load RPM** | 22 RPM |
| **Weight** | 62 kg |
| **Pcs. in Carton** | 1 |

Automatic Threading Head

### ACCESSORIES

- 1/2" - 3/4" BSBT Die Set
- 1" - 2" BSBT Die Set

## AUTOMATIC BENCH-TYPE ELECTRIC THREADING MACHINE

## FSBPT100A4

NEW PRODUCT




Power: 750 W

Diameter: 1/2" - 4"

| | |
|---|---|
| **Power** | 750 W |
| **Voltage** | 230 V - 50 Hz |
| **Threading Range** | 1/2" - 4" |
| **No-Load RPM** | 24 RPM |
| **Weight** | 140 kg |
| **Pcs. in Carton** | 1 |

Automatic Threading Head

### ACCESSORIES

- 1/2" – 2" AND 2 1/2" – 4" Quick-Change Threading Heads
- 1/2" – 3/4" BSBT Die Set
- 1" – 2" BSBT Die Set
- 2 1/2" – 4" BSBT Die Set

## CIRCULATION PUMPS

### FSSP25-6-130

NEW PRODUCT




Power: 100 W
Water Flow: 50 Lt/Min.
Connection Dia: 1-1/2"
Union Dia.: 1-1/2" -> 1"



| | |
|---|---|
| **Power** | 100 W |
| **Voltage** | 230 V - 50 Hz |
| **Max. Water Flow** | 50 l/Min |
| **Max. Water Head** | 6 Meter |
| **Operating Temperature** | 0 / +110 |
| **Weight** | 2.48 kg |
| **Pcs. in Carton** | 1 |

**3-Speed Adjustment**

### FSSP25-6-180

NEW PRODUCT




Power: 100 W
Water Flow: 50 Lt/Min.
Connection Dia: 1-1/2"
Union Dia.: 1-1/2" -> 1"



| | |
|---|---|
| **Power** | 100 W |
| **Voltage** | 230 V - 50 Hz |
| **Max. Water Flow** | 50 l/Min |
| **Max. Water Head** | 6 Meter |
| **Operating Temperature** | 0 / +110 |
| **Weight** | 2.55 kg |
| **Pcs. in Carton** | 1 |

**3-Speed Adjustment**

### FSSP25-7-180

NEW PRODUCT




Power: 125 W
Water Flow: 60 Lt/Min.
Connection Dia: 1-1/2"
Union Dia.: 1-1/2" -> 1"



| | |
|---|---|
| **Power** | 125 W |
| **Voltage** | 230 V - 50 Hz |
| **Max. Water Flow** | 60 l/Min. |
| **Max. Water Head** | 7 Meter |
| **Operating Temperature** | 0 / +110 |
| **Weight** | 2.97 kg |
| **Pcs. in Carton** | 1 |

**3-Speed Adjustment**

## CIRCULATION PUMPS

### FSSP25-8-180

NEW PRODUCT




Power: 248 W
Water Flow: 120 Lt/Min.
Connection Dia: 1 1/2"
Union Dia.: 1 1/2" -> 1"



| | |
|---|---|
| **Power** | 248 W |
| **Voltage** | 230 V - 50 Hz |
| **Max. Water Flow** | 120 l/Min. |
| **Max. Water Head** | 8 Meter |
| **Operating Temperature** | 0 / +110 |
| **Weight** | 4.62 kg |
| **Pcs. in Carton** | 1 |

**3-Speed Adjustment**

### FSSP32-8-180

NEW PRODUCT




Power: 248 W
Water Flow: 170 Lt/Dk
Connection Dia: 2"
Union Dia.: 2" -> 1 1/2"



| | |
|---|---|
| **Power** | 248 W |
| **Voltage** | 230 V - 50 Hz |
| **Max. Water Flow** | 170 l/Min |
| **Max. Water Head** | 8 Meter |
| **Operating Temperature** | 0 / +110 |
| **Weight** | 4.67 kg |
| **Pcs. in Carton** | 1 |

**3-Speed Adjustment**

## DRAIN CLEANING MACHINE ACCESSORIES

NEW PRODUCT



**FS5016**



**FS5017**

## FS5018 - SET CONTENTS

NEW PRODUCT



**Straight Auger**



**Bulb Auger**



**Cross-blade Cutter - serrated**



**Grease Cutter**



**Drop Head Cutter**



**Retrieving Auger**



**Funnel Auger**



**Sharh Tooth cutter**

## FS5019 - SET CONTENTS

NEW PRODUCT



**Straight Auger**



**Bulb Auger**



**Funnel Auger**



**Spade Head Cutter**

| Part Number | Part Name | Compatible Machines |
|---|---|---|
| **FS5016** | Ø 16 mm Spiral Spring – (5 pcs × 2.3 m) | FSKA150 |
| **FS5017** | Ø 22 mm Spiral Spring – (3 pcs × 4.5 m) | FSKA150 |
| **FS5018** | Ø 16 Helical Cutter Head Set – 8 Pieces | FSKA150 |
| **FS5019** | Ø 22 Helical Cutter Head Set – 4 Pieces | FSKA150 |

## ELECTRIC HANDHELD THREADING MACHINE ACCESSORIES

NEW PRODUCT



| Part Number | Part Name | Compatible Machines |
|---|---|---|
| **FSA2012** | 1/2" BSPT Threading Head (Single) | FSBP114 / FSBP200 |
| **FSA2013** | 3/4" BSPT Threading Head (Single) | FSBP114 / FSBP200 |
| **FSA2014** | 1" BSPT Threading Head (Single) | FSBP114 / FSBP200 |
| **FSA2015** | 1-1/4" BSPT Threading Head (Single) | FSBP114 / FSBP200 |
| **FSA2016** | 1-1/2" BSPT Threading Head (Single) | FSBP200 |
| **FSA2017** | 2" BSPT Threading Head (Single) | FSBP200 |



| Part Number | Part Name | Compatible Machines |
|---|---|---|
| **FSA1012** | 1/2" BSPT Die Set | FSBP114 / FSBP200 |
| **FSA1013** | 3/4" BSPT Die Set | FSBP114 / FSBP200 |
| **FSA1014** | 1" BSPT Die Set | FSBP114 / FSBP200 |
| **FSA1015** | 1-1/4" BSPT Die Set | FSBP114 / FSBP200 |
| **FSA1016** | 1-1/2" BSPT Die Set | FSBP200 |
| **FSA1017** | 2" BSPT Die Set | FSBP200 |

## ELECTRIC BENCH-TYPE THREADING MACHINE ACCESSORIES

NEW PRODUCT



| Part Number | Part Name | Compatible Machines |
|---|---|---|
| **FSA3001** | 1/2" - 3/4" BSPT Automatic Type Die Set | FSBM50B2 / FSBM100A4 |
| **FSA3002** | 1" - 2" BSPT Automatic Type Die Set | FSBM50B2 / FSBM100A4 |
| **FSA3003** | 2 1/2" - 4" BSPT Automatic Type Die Set | FSBM100A4 |
| **FSA3004** | 1/2" - 3/4" BSPT Automatic Type Die Set | FSBM50A2 |
| **FSA3005** | 1/2" - 3/4" BSPT Manuel Type Die Set | FSBM50M2 |
| **FSA3006** | 1" - 2" BSPT Automatic Type Die Set | FSBM50A2 |
| **FSA3007** | 1" - 2" BSPT BSPT Manuel Type Die Set | FSBM50M2 |



**FSA3201**



**FSA3202**



**FSA3203**



**FSA3204**

| Part Number | Part Name | Compatible Machines |
|---|---|---|
| **FSA3201** | 1/2" - 2" Automatic Threading Head | FSBM50B2 / FSBM50A2 |
| **FSA3202** | 1/2" - 2" Manuel Threading Head | FSBM50M2 |
| **FSA3203** | 1/2" - 2" Automatic Threading Head | FSBM100A4 |
| **FSA3204** | 2-1/2" - 4" Automatic Threading Head | FSBM100A4 |

LOAS | FUSION®

# PROMAKSAN®

**PROMAKSAN HIRDAVAT SANAYİ A.Ş.**

İmes Sanayi Sitesi 102. Sk.
No:9 Yukarı Dudullu · 34775
Ümraniye-İstanbul/Türkiye

www.pro-maksan.com
+90 (0216) 316 06 56